

Quo vadis Drug Discovery

Donatella Verbanac, Dubravko Jelić,

Sanja Koštrun, Višnja Stepanić, Dinko Žiher

PLIVA - Research Institute, Ltd.

Prilaz baruna Filipovića 29, 10000 Zagreb, CROATIA




The Pharmaceutical Industry is Under Pressure !!!

Success is now measured by the number of >\$1 billion drugs you have

Pressure has increased due to investor expectations and competitors successes

Many drugs lost or are losing patent protection between 2001 and 2005





investment

**3 NCEs/yr promised by
leading companies**

**COST is >\$600
MM/drug**


**Only 1 of 3 drugs recoup
development cost**




21.06.2004.

0-010351 2

Cumulative R&D Spend



Attrition Rates




Why compounds fail in development

- ◆ Toxicity, permeability, solubility
- ◆ Pharmacokinetics
- ◆ Drug delivery
- ◆ Efficacy, adverse effects in humans
- ◆ Commercial
- ◆ Patent/ownership




Generate data earlier to support decision making



Efficacy
Selectivity
ADME
Toxicity




Evolving approach



Traditional approach



The Discovery of New Medicines




Biological assays as gateways - increasing sophistication and cost

	Cost	Stage	Success?
Disease hypothesis			
HTS Assay	\$ 3	Positives	?
Cell Biology	\$ 300	Hits	1/3
<i>In vivo</i> testing	\$ 30'000	Leads	1/3
Clinical testing Phase II	\$ 3'000'000	Candidates	1/3



HTS Unit – a central part of the process



Computer modeling



21.06.2004.

0-010351 11

Starting Compound Database

Starting Target Database

Proprietary

Acquired

External

Target Database – Therapeutic (?)

Compounds selection

Targets selection

REPRESENTATIVE SET

TARGET SCREENING

SELECTED TARGETS

HITS

Molecular docking


Biological testing

TARGET





21.06.2004.

0-010351 12



IsoStar



IsoStar shows intermolecular interactions.

Developed from CCDB & PDB.



Exploring the most probable interactions for selected molecules.



21.06.2004.

0-010351 14

SuperStar




SuperStar PDB can provide insight look into the binding site.

Useful for the pharmacophore definition.

Important tool for the preparation of 3D virtual screening.



Structure based virtual screening



- ◆ Standard docking-example in computational biology.
- ◆ DHFR with methotrexate as ligand.
- ◆ Prediction of the way of binding.
- ◆ Cost reduction, time saving ...



Biological screening



21.06.2004.

0-010351 17

Primary and secondary screening

antibacterial (MIC)
enzymatic (EC₅₀)
cytotoxicity (IC₅₀)

- Assay design/assay development
- *In vitro* assays for activity
- Gene expression technology - Microarrays



Screening request form



High Throughput Screening Unit

Research Division

REGISTRATION FORM SCREENING

RESEARCHER:	Phone:	Date:
SIN:	MT:	NO. OF COMPOUNDS:



PL (Sample ID)	BatchID	MW	m/mg	Solvents	Type of testing	Comments

Signature:

CONFIDENTIAL



HTS - Compounds Bank



- ◆ Registration of newly synthesized compounds and batches in PLIVA
- ◆ Central Depository for all samples
- ◆ New compounds acquisition
- ◆ Sample preparation for 1° or 2° screening.
- ◆ One sample is tested more than once

21.06.2004.

0-010351 20




Compounds Bank




- ◆ Chemists give samples in a brown vials
- ◆ Compounds are barcoded and stored under GLP conditions (controlled temperature and humidity, in and out documentation,) at 20°C, +4°C, -20°C and/or -80°C (upon stability)
- ◆ Chemists have acces to the samples whenever they need them



Targets must be evaluated as the product of three factors



Prospecting in the human genome



Protein Therapeutics

- ◆ Soluble proteins, receptors, antibody targets
- ◆ Large binding sites -not suitable for small molecules

Small Molecules

- ◆ Enzymes, receptors, intracellular targets
- ◆ Aiming for oral bio-availability
- ◆ Focus chemistry on privileged structures - NCEs



Impact of Genomics and Proteomics Based Drug Discovery

- ◆ Over the next decade, minimum 5,000 novel targets will be derived from genomic and proteomic based drug discovery
 - selection of “best targets” will be a critical issue

- ◆ Most of these will fall into several major classes
 - **Cytokines, Chemokines, and Growth Factors**
Key Targets for Immunotherapeutic Development
 - **Nuclear Receptors**
Key Targets for New Pharmaceuticals
 - **Protein Kinases**
Technologies and Opportunities for Drug Discovery
 - **G protein coupled receptors**
The Targets of Today's drugs and Tomorrow's Blockbusters
 - **Ion Channels**
Technology Advances Driving Commercial Opportunities



Bioinformatics helps us to integrate and automate our data analysis

- ◆ Key step: Getting the data into the hands of the biologists

Web based interface

Links to SPROT

Link to KEGG

Blast on ESTs

Spot description	ESTs (IMAGE:406566) (vector p1713D-Pac)
IMM39039	mf30c04.r1 Soares mouse embryo NbME13.5 14.5 Mus musculus cDNA clone 406566 5' mRNA sequence.

Spot number	4608	ratio	control	IF-b
FULL	Show	-2.70	296.0000	109.0000

Spot description	ESTs (IMAGE:961094) (vector pBluescribe)
IAA547202	vk31e08.s1 Knowles Solter mouse 2 cell Mus musculus cDNA clone 961094 5' similar to SW:RIMK_HAEIN P45241 PROBABLE RIBOSOMAL PROTEIN S6 MODIFICATION PROTEIN .
DHC3_HUMAN	0.0e+00 / CBR3. / CARBONYL REDUCTASE [NADPH] 3 (EC 1.1.1.184) (NADPH-DEPENDENT CARBONYL REDUCTASE 3).
DHCA_HUMAN	0.0e+00 / CBR1 OR CBR OR CRN. / CARBONYL REDUCTASE [NADPH] 1 (EC 1.1.1.184) (NADPH-DEPENDENT CARBONYL REDUCTASE 1) (PROSTAGLANDIN-E2 9-REDUCTASE) (EC 1.1.1.189) (PROSTAGLANDIN 9-KETOREDUCTASE) (15-HYDROXYPROSTAGLANDIN DEHYDROGENASE [NADP+]) (EC 1.1.1.197).
Pathway	Show Prostaglandin and leukotriene metabolism

Spot number	5268	ratio	control	IF-b
FULL	Show	-2.70	194.0000	73.0000

Prostaglandin → 6-Keto-PGF1 α → 6-Keto-PGE1


PGA₂ → PGC₂ → PGB₂



21.06.2004.

0-010351 25

Efficacy and Safety Are Flip Sides of the Same Coin





2015: Dream or Reality?


- ◆ Innovation moving from *in vivo* to *in vitro* to *in silico*

or

- ◆ Better integration of *in vitro*, *in vivo* and *in silico*



Towards the new model for R&D




Vision

21.06.2004.

0-010351 28

Science fiction or reality?



21.06.2004.

U-010351 29

Acknowledgements

Special thanks to:

Roberto Antolović

Damir Nadramija

Many thanks to:

Vesna Mesar

Dražen Radošević

Ivan Bašić

Dražen Borčić

